

Local Development (DDEV)

Pre-steps

New Git repo:

1. Initialize new repo.
2. Take care that repo directory is empty, only .git should be there.
3. Run:

```
ddev config --project-type=drupal11 --docroot=public_html --php-version=8.3
ddev start
touch dummy.sql
ddev import-db --database crm --file dummy.sql
rm dummy.sql
ddev composer create drupal/recommended-project:^11 --no-install --no-interaction
sed -i 's/web\///public_html\///' composer.json
ddev composer config --no-interaction extra.enable-patching true
ddev composer config --no-interaction extra.compile-mode all
ddev composer config --no-plugins --no-interaction allow-plugins.cweagans/composer-patches true
ddev composer config --no-plugins --no-interaction allow-plugins.civicrm/civicrm-asset-plugin true
ddev composer config --no-plugins --no-interaction allow-plugins.civicrm/composer-downloads-plugin true
ddev composer config --no-plugins --no-interaction allow-plugins.civicrm/composer-compile-plugin true
ddev composer require --no-interaction civicrm/civicrm-{core,packages,drupal-8}
ddev composer require --no-interaction civicrm/cli-tools
ddev composer require --no-interaction drush/drush
mkdir -p public_html/libraries
ln -s ../../libraries/civicrm/ public_html/libraries/civicrm
ddev composer install --no-interaction
```

```

ddev drush site:install --account-name=admin --account-pass=admin --locale=nl -y
ddev drush config:get system.site uuid | awk '{print $2}' | head -1 > site.id #
Obtaining site.id for publishing site config to tst/prd
ddev describe -j | jq .raw.httpsurl | sed 's"/"/g' > site.url # Obtaining site.url
for installing CiviCRM
sed -i "s/# \$settings\[ 'config_sync_directory'\] =
'\directory\outside\webroot';/\$settings\[ 'config_sync_directory'\] =
'..\config\sync';/" public_html/sites/default/settings.php
ddev exec 'export CIVICRM_L10N_BASEDIR=$PWD/public_html/sites/default/files/civicrm \
&& export CMS_URL=$(cat site.url) \
&& cd public_html \
&& cv core:install --url=$CMS_URL --db="mysql://db:db@db:3306/crm" --lang="nl_NL" -m
loadGenerated=1 -f'
ddev drush config:export
ddev launch $(ddev drush uli)

```

4. When the website is launched, change the password if deemed necessary
5. Add .gitignore with:

```

.ddev/
public_html/
recipes/
vendor/
libraries/

```

Existing Repo:

1. Clone the repo
2. Verify composer.json (web root = public_html)
3. Run:

```

ddev config --project-type=drupal11 --docroot=public_html --php-version=8.3
ddev start
touch dummy.sql
ddev import-db --database crm --file dummy.sql
rm dummy.sql
ddev composer config --no-interaction extra.enable-patching true
ddev composer config --no-interaction extra.compile-mode all

```

```

ddev composer config --no-plugins --no-interaction allow-plugins.cweagans/composer-
patches true
ddev composer config --no-plugins --no-interaction allow-plugins.civicrm/civicrm-
asset-plugin true
ddev composer config --no-plugins --no-interaction allow-plugins.civicrm/composer-
downloads-plugin true
ddev composer config --no-plugins --no-interaction allow-plugins.civicrm/composer-
compile-plugin true
ddev composer require --no-interaction civicrm/civicrm-{core,packages,drupal-8}
ddev composer require --no-interaction civicrm/cli-tools
ddev composer require --no-interaction drush/drush
mkdir -p public_html/libraries
ln -s ../../libraries/civicrm/ public_html/libraries/civicrm
ddev composer install --no-interaction
ddev drush site:install --account-name=admin --account-pass=admin --locale=nl -y
ddev describe -j | jq .raw.httpsurl | sed 's/"//g' > site.url # Obtaining site.url
for installing CiviCRM
sed -i "s/# \$settings\[ 'config_sync_directory' \] =
'\directory\outside\webroot';/\$settings\[ 'config_sync_directory' \] =
'..\config\sync';/" public_html/sites/default/settings.php
ddev exec 'export CMS_URL=$(cat site.url) \
&& cd public_html \
&& cv core:install --url=$CMS_URL --db="mysql://db:db@db:3306/crm" --lang="nl_NL" -m
loadGenerated=1 -f'
set site_id $(cat site.id)
ddev drush config:set system.site uuid $site_id -y
sed -i "s/# \$settings\[ 'config_sync_directory' \] =
'\directory\outside\webroot';/\$settings\[ 'config_sync_directory' \] =
'..\config\sync';/" public_html/sites/default/settings.php
ddev drush config:delete shortcut.set.default -y
set nl_uuid $(grep uuid config/sync/language.entity.nl.yml | awk '{print $2}')
ddev drush config:set language.entity.nl uuid $nl_uuid -y
ddev drush config:import -y
ddev launch $(ddev drush uli)

```

Updating

```
ddev composer update
cd ./public_html
ddev drush updatedb
ddev drush cr

# If CiviCRM had update
curl -Lss -o public_html/sites/default/files/civicrm/l10n/nl_NL/LC_MESSAGES/civicrm.mo
https://download.civicrm.org/civicrm-l10n-core/mo/nl_NL/civicrm.mo

ddev exec 'export CIVICRM_SETTINGS=$(find -name civicrm.settings.php) && cv upgrade:db'
rm -rf public_html/sites/default/files/civicrm/templates_c/
ddev exec 'export CIVICRM_SETTINGS=$(find -name civicrm.settings.php) && cv flush'
ddev composer civicrm:publish
```

Revision #32

Created 2025-05-07 16:53:19 UTC by Matthijs

Updated 2026-03-05 16:40:23 UTC by Matthijs